

SKALA

Columns from 3.5 m to 5 m

PCA09787 Column 3.5 m
PCA09788 Column 4 m
PCA09789 Column 5 m

Use

Columns designed for luminaires to enhance of pathways, plots, parks, entrances and around buildings.



Skala - Lighting bollards
Skala - Light building elements from 3.5 m to 5 m - 19.6 W / 39.2 W
Skala - Columns from 3.5 m to 5 m

Rectangular shaft

Accoya® acetylated solid wood horizontal braces produced with sawn planks from sustainably managed forests. Timber finished with four coats of woodstain. Rectangular flush base in galvanized steel, polyester powder coated finish. Electro-galvanized steel brackets, polyester powder coated finish. Electro-galvanized steel overlying top, polyester powder coated finish.

Standard finishes

Wood: Terre d'Ombre
Metal: Matt fine texture 7006. Finish corresponding to the references PCA09787, PCA09788 and PCA09789. Other colours on request.

Benefits of Accoya® wood

Accoya® wood has a non-toxic core treatment. It is a very dimensionally stable material (equivalent to the best exotic wood). It is renewable, durable, resistant to moisture, insects, and rot.

Maintenance and lifespan

Accoya® wood offers a 25-year warranty against rot (if the wood is placed in the ground) and a 50-year warranty for above-ground wood (even if it is continuously exposed to fresh water). Very low maintenance.

Power supply

The power supply to the column is via a connection box (supplied on request) located at the base.

Installation

Light point delivered with the luminaire not mounted on the mast. Fixing with 4 HA20/M18 - 400 mm. The lighting fixture must be connected to the earth of the base section thanks to the green/yellow wire provided for that purpose. Anchor bolts supplied on request only.

Technical data that can be consulted and downloaded from our website.

Wood material:



Design
by
AUBRILAM.

	A	B	C	D	E x F	P	G	H	J	K	KG
PCA09787	3.5 m	145 x 140 mm	90 x 140 mm	90 mm	400 x 75 mm	0.70 m	145 x 140 mm	0.45 m	271 x 271 mm	200 x 200 mm	58 kg
PCA09788	4 m	145 x 140 mm	90 x 140 mm	90 mm	400 x 75 mm	0.70 m	145 x 140 mm	0.45 m	271 x 271 mm	200 x 200 mm	63 kg
PCA09789	5 m	145 x 140 mm	90 x 140 mm	90 mm	400 x 75 mm	0.70 m	145 x 140 mm	0.45 m	271 x 271 mm	200 x 200 mm	72 kg

A. Pole height / B. Shaft section at base / C. Shaft section on top / D. Door: Effective depth / E x F. Door: Effective height x width / P. Distance door bottom to plate / G. Base section / H. Base height / J. Base plate dimensions / K. Spacing dimensions / L. Anchor bolts / KG. Wooden pole weight.